

EAST 8/26/04

L Number	Hits	Search Text	DB	Time stamp
1	1	248/157.ccls. and (spindle or rod or shaft) same (guide or sleeve) with (grease or lubricant)	USPAT; US-PGPUB	2004/08/26 07:44
2	1	297/344.18-344.19.ccls. and (spindle or rod or shaft) same (guide or sleeve) with (grease or lubricant)	USPAT; US-PGPUB	2004/08/26 07:44
3	73	297/344.18-344.19.ccls. and (spindle or rod or shaft) with (guide or sleeve)	USPAT; US-PGPUB	2004/08/26 07:48
4	156755	(spindle or rod or shaft) with (guide or sleeve)	EPO; JPO; DERWENT	2004/08/26 07:49
5	2318	(spindle or rod or shaft) with (guide or sleeve) same column	EPO; JPO; DERWENT	2004/08/26 07:50
6	116	(spindle or rod or shaft) with (guide or sleeve) same column with (gas or fluid or air or pneumatic)	EPO; JPO; DERWENT	2004/08/26 07:51
7	38	(spindle or rod or shaft) with (guide or sleeve) same column with (gas or fluid or air or pneumatic) same (spindle or tube or tubular)	EPO; JPO; DERWENT	2004/08/26 07:59
8	1	2003-047644.NRAN.	DERWENT	2004/08/26 07:52
9	26	(spindle or rod or shaft) with (guide adj sleeve) same (gas or fluid or air or pneumatic) same (spindle or tube or tubular)	EPO; JPO; DERWENT	2004/08/26 08:00
10	176	(spindle or rod or shaft) with (guide adj sleeve or rod adj guide) same (gas or fluid or air or pneumatic) same (spindle or tube or tubular)	EPO; JPO; DERWENT	2004/08/26 08:00
11	2360	(spindle or rod or shaft) with (slide adj bushing or guide adj sleeve or rod adj guide) same (gas or fluid or air or pneumatic)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 08:01
12	1063	(spindle or rod or shaft) near5 (slide adj bushing or guide adj sleeve or rod adj guide) same (gas or fluid or air or pneumatic)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 08:02
13	14	(spindle or rod or shaft) near5 (slide adj bushing or guide adj sleeve or rod adj guide) same (gas or fluid or air or pneumatic) with (adjust\$ near4 length or column or chair)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 08:04
14	71	(spindle or rod or shaft) near5 (slide adj bushing or guide adj sleeve or rod adj guide) and (gas or fluid or air or pneumatic) with (adjust\$ near4 length or column or chair)	USPAT; US-PGPUB	2004/08/26 08:04
15	15	JANG.in. and JUN.in. and CHANG.in.	USPAT; US-PGPUB	2004/08/26 08:08

-	50	("4771178" "6474619" "4327863" "6240802" "6287245" "4287786" "4938264" "5621933" "5865542" "6168505" "5615590" "3898942" "4083571" "4258598" "4284148" "4385853" "4421446" "4995301" "5345964" "5503115" "5573105" "5601476" "5732839" "5738572" "6425545" "4953585" "4622734" "5293793" "5580197" "4304364" "4327525" "4369693" "4408726" "4481974" "4546572" "4566738" "4587872" "4623287" "4763448" "4785717" "4827538" "4869627" "4880246" "4911589" "4991859" "5000024" "5013163" "5319917" "5443275" "5581980").pn.	USPAT; US-PGPUB	2004/08/25 08:31
-	1	("6533084").PN.	USPAT; US-PGPUB	2004/08/25 08:32
-	33	Samhongsas.asn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 08:07
-	2	6474619.URPN.	USPAT	2004/08/25 08:33
-	2	("5556170" "5702083").PN.	USPAT	2004/08/25 08:33
-	97	(Ma.in. or Kim.in.) and (adhesive or glue or glued) with (sleeve or guide or bushing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 12:52

-	0	(adhesive or glue or glued) with (sleeve or guide or bushing) and Samhongsa.asn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 08:41
-	0	(adhesive or glue or glued) and Samhongsa.asn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 08:41
-	258	(92/166).CCLS.	USPAT; US-PGPUB	2004/08/25 09:11
-	1274	column adj unit	USPAT; US-PGPUB	2004/08/25 09:11
-	2778	tube adj cylinder	USPAT; US-PGPUB	2004/08/25 09:12
-	12155	gas adj cylinder	USPAT; US-PGPUB	2004/08/25 09:11
-	5556	tube adj (guide or slide)	USPAT; US-PGPUB	2004/08/25 09:12
-	478	297/344.18-344.19.ccls.	USPAT; US-PGPUB	2004/08/25 13:08
-	3525	267/64.11-64.28,113,131.ccls.	USPAT; US-PGPUB	2004/08/25 09:14
-	1	92/166.ccls. and (glue\$2 or adhesive)	USPAT; US-PGPUB	2004/08/25 09:15
-	1624	(glue\$2 or adhesive) with (guide or slide or sleeve or bushing) with (rod or shaft or spindle)	USPAT; US-PGPUB	2004/08/25 09:23
-	26407	(column adj unit) (tube adj cylinder) (gas adj cylinder) (tube adj (guide or slide)) 248/631,161,162.1,188.2.ccls. 297/344.18-344.19.ccls. 267/64.11-64.28,113,131.ccls.	USPAT; US-PGPUB	2004/08/25 09:16
-	40	((column adj unit) (tube adj cylinder) (gas adj cylinder) (tube adj (guide or slide)) 248/631,161,162.1,188.2.ccls. 297/344.18-344.19.ccls. 267/64.11-64.28,113,131.ccls.) and ((glue\$2 or adhesive) with (guide or slide or sleeve or bushing) with (rod or shaft or spindle))	USPAT; US-PGPUB	2004/08/25 09:17
-	631	(glue\$2 or adhesive) with (guide or slide or sleeve or bushing) with (rod or shaft or spindle)	EPO; JPO; DERWENT	2004/08/25 09:18
-	1	(glue\$2 or adhesive) with (guide or slide or sleeve or bushing) with (rod or shaft or spindle) same (column adj unit or gas adj cylinder or gas adj unit or tube adj cylinder or gas adj spring)	EPO; JPO; DERWENT	2004/08/25 09:19
-	1	(glue\$2 or adhesive) with (guide or slide or sleeve or bushing) with (rod or shaft or spindle) and f16m\$.ipc.	EPO; JPO; DERWENT	2004/08/25 09:20
-	6	(glue\$2 or adhesive) with (guide or slide or sleeve or bushing) with (rod or shaft or spindle) and f16f\$.ipc.	EPO; JPO; DERWENT	2004/08/25 09:20
-	11	(glue\$2 or adhesive) with (guide or slide or sleeve or bushing) with (rod or shaft or spindle) and (188/\$.ccls. or 267/\$.ccls.)	USPAT; US-PGPUB	2004/08/25 09:27
-	77	(glue\$2 or adhesive) with (guide or slide or sleeve or bushing) with (rod or shaft or spindle) and (384/\$.ccls. or 297/\$.ccls. or 248/\$.ccls.)	USPAT; US-PGPUB	2004/08/25 09:33
-	1	(glue\$2 or adhesive) with (guide or slide or sleeve or bushing) with (rod or shaft or spindle) and 92/166,165r.ccls.	USPAT; US-PGPUB	2004/08/25 09:34
-	5	(glue\$2 or adhesive) with (guide or slide or sleeve or bushing) and 92/166,165r.ccls.	USPAT; US-PGPUB	2004/08/25 09:35
-	1	(glue\$2 or adhesive) with (guide or slide or sleeve or bushing) same column adj unit	USPAT; US-PGPUB	2004/08/25 09:36
-	2	(glue\$2 or adhesive) with (guide or slide or sleeve or bushing) and 248/631.ccls.	USPAT; US-PGPUB	2004/08/25 13:26
-	24584	248/631,161,162.1,188.2.ccls. or column adj unit or gas adj (strut or spring or cylinder) or tube adj cylinder or tube adj guide	USPAT; US-PGPUB	2004/08/25 12:52
-	18749	(adhesive or glue or glued) with (sleeve or guide or bushing)	USPAT; US-PGPUB	2004/08/25 13:29
-	127	(adhesive or glue or glued) with (sleeve or guide or bushing) with spindle	USPAT; US-PGPUB	2004/08/25 13:01
-	0	(adhesive or glue or glued) with (guide adj sleeve or guide adj bushing) with (shaft or rod or spindle) same (wobble or unstable)	USPAT; US-PGPUB	2004/08/25 13:36
-	9	(adhesive or glue or glued) with (guide adj2 sleeve or guide adj2 bushing) with (shaft or rod or spindle)	USPAT; US-PGPUB	2004/08/25 13:00

-	212	(adhesive.clm. or glue.clm. or glued.clm.) and (sleeve.clm. or guide.clm. or bushing.clm.) and spindle.clm.	USPAT; US-PGPUB	2004/08/25 13:04
-	72	(adhesive.clm. or glue.clm. or glued.clm.) and (sleeve.clm. or guide.clm. or bushing.clm.) and piston.clm. adj rod.clm.	USPAT; US-PGPUB	2004/08/25 13:04
-	1617	248/631,161,162.1,188.2.ccls. 297/344.18-344.19.ccls.	USPAT; US-PGPUB	2004/08/25 13:08
-	1617	248/631,161,162.1,188.2.ccls. or 297/344.18-344.19.ccls.	USPAT; US-PGPUB	2004/08/25 13:08
-	80	(248/631,161,162.1,188.2.ccls. or 297/344.18-344.19.ccls.) and piston adj rod and (guide or sleeve) with (spindle or rod or shaft)	USPAT; US-PGPUB	2004/08/25 13:14
-	15	("2961260" "4183689" "4778137" "4842238" "5078351" "5377942" "5461905" "5462208" "5492868" "5531413" "	USPAT; US-PGPUB	2004/08/25 13:14
-	694	(248/188.5).CCLS.	USPAT; US-PGPUB	2004/08/25 13:22
-	0	(glue\$2 or adhesive) near5 sleeve with exterior near3 spindle	USPAT; US-PGPUB	2004/08/25 13:27
-	32	(glue\$2 or adhesive) near5 sleeve with spindle	USPAT; US-PGPUB	2004/08/25 13:28
-	1	(adhesive or glue or glued) with (sleeve or guide or bushing) same column with adjust\$ with height	USPAT; US-PGPUB	2004/08/25 13:29
-	375	(sleeve or guide or bushing) same column with adjust\$ with height	USPAT; US-PGPUB	2004/08/25 13:29
-	25	(sleeve or guide or bushing) same column with adjust\$ with height same gas	USPAT; US-PGPUB	2004/08/25 13:30
-	2	6474619.URPN.	USPAT	2004/08/25 13:33
-	2	("5556170" "5702083").PN.	USPAT	2004/08/25 13:33
-	1	6315262.URPN.	USPAT	2004/08/25 13:35
-	5	("1895226" "2351194" "3385550" "3837611" "5269398").PN.	USPAT	2004/08/25 13:36
-	8	(adhesive or glue or glued) with (guide adj sleeve or guide adj bushing) with (shaft or rod or spindle)	USPAT; US-PGPUB	2004/08/25 13:37
-	0	(adhesive or glue or glued) with (guide adj sleeve or guide adj bushing) with (nylon or grease)	USPAT; US-PGPUB	2004/08/25 13:37
-	0	(adhesive or glue or glued) with (guide adj sleeve or guide adj bushing) with (nylon or grease)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/25 13:38
-	3	(adhesive or glue or glued) same (guide adj sleeve or guide adj bushing) same (nylon or grease)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/25 13:39
-	911	(adhesive or glue or glued) same (guide or sleeve or bushing) same (nylon or grease)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/25 13:39
-	122	(adhesive or glue or glued) with (guide or sleeve or bushing) with (nylon or grease)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/25 13:41
-	90	(adhesive or glue or glued) with (guide or sleeve or bushing) with (nylon or grease)	USPAT; US-PGPUB	2004/08/25 13:41
-	1900	column adj unit	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/25 13:45
-	29	column adj unit and chair and (sleeve or guide)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/25 13:46
-	59	Stabilus.asn. and chair and (sleeve or guide)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/25 13:47
-	1	("5,765,804").PN.	USPAT; US-PGPUB	2004/08/26 05:27
-	1212	248/631,161,162.1,188.2.ccls.	USPAT; US-PGPUB	2004/08/26 06:31
-	177	248/631,161,162.1,188.2.ccls. and (spindle or rod or shaft) same (guide or sleeve)	USPAT; US-PGPUB	2004/08/26 07:02

-	17	248/631,161,162.1,188.2.ccls. and (spindle or rod or shaft) same (guide or sleeve) and nylon	USPAT; US-PGPUB	2004/08/26 07:03
-	5	248/631,161,162.1,188.2.ccls. and (spindle or rod or shaft) same (guide or sleeve) with (grease or lubricant)	USPAT; US-PGPUB	2004/08/26 07:42